



BOOSTER INDUCTION

la Cottura[®]

— I T A L I A N D E S I G N —



ITALIAN DESIGN: INDUCTION SPECIALISTS

The *la Cottura* project comes from the decennial experience in the cooking appliances market of a group of managers and entrepreneurs, who gave birth to the company.

They had noticed time ago the potential of induction cooking and, convinced that the future will lead in this direction, decided to give birth to the new company.

In addition to the induction hobs of all sizes, with power limitation and semi-professional features, integrated and non-integrated extraction, Italian Design Srl offers a range of radiant electric hobs and other built-in appliances made to specifications and to the request of the industrial customer and/or Distributor.

OUR MISSION

Propose a range of tailor-made products to meet the needs of the customer.

OUR VALUES




- Manufacture high quality products made with **European** technology and components, with superior performance and reliability guaranteed over time.
- Exploit the ability of Italian designers to create elegant, practical and harmonious products with affordable prices.
- Capturing every new innovation and trend in the market by reacting before others to develop products that anticipate the end user's requests.

Remember that not everything that sounds Italian is Italian – *many brand names sound Italian when in fact most of their products come from other countries*; so why have something “like Italian” when you can have the real thing? *la Cottura* – **Pure Italian!**



H3T28C

INDUCTION HOB DOMINO 30cm






TOP DIMENSIONS	290 x 510 mm
BUILT-IN MEASURES	280 x 480 mm
NOMINAL POWER	3600 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350008

- **2 induction cooking zones**
- Frontal touch control
- 9 power levels + booster
- Pot detection sensor
- Timer function
- Residual heat indicator

COOKING AREAS DETAIL		
	REAR	
	Ø 200mm 1600 [2000] W	
	FRONT	
	Ø 145mm 1200 [1600] W	

H3S28B

INDUCTION HOB DOMINO 30cm






TOP DIMENSIONS	300 x 510 mm
BUILT-IN MEASURES	265 x 485 mm
NOMINAL POWER	3700 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350015

- **2 induction FLEXI cooking zones**
- New frontal touch control **SLIM**
- 9 power levels + booster
- Automatic pot detection function
- **Bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- **Keep Warm Function**

COOKING AREAS DETAIL		
	REAR	
	220x180 mm 2100 [3000] W	
	FRONT	
	220x180 mm 2100 [3000] W	

H3S28E

INDUCTION HOB DOMINO 30cm SLIDER BRIDGE



UPON REQUEST WHITE VTC VERSION




TOP DIMENSIONS	290 x 510 mm
BUILT-IN MEASURES	280 x 490 mm
NOMINAL POWER	3700 W
SUPPLY VOLTAGE	200-240 V
EAN CODE	8059015350022

COOKING AREAS DETAIL		
	REAR	
	220x180 mm 2300 [3700] W	
	FRONT	
	220x180 mm 2300 [3700] W	

- **2 induction cooking zones**
- Frontal touch control **MULTISLIDER**
- 9 power levels + booster
- Automatic pot detection function
- **Bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- **Automatic Warming**
- **Assisted cooking with temperature sensor**

H4T38C

INDUCTION HOB 45cm



UPON REQUEST WHITE VTC VERSION


TOP DIMENSIONS	462 x 510 mm
BUILT-IN MEASURES	430 x 480 mm
NOMINAL POWER	5200 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350046

COOKING AREAS DETAIL		
REAR LEFT		RIGHT
Ø 145mm 1200 [1600] W		Ø 145mm 1200 [1600] W
FRONT LEFT		
Ø 200mm 1600 [2000] W		

- **3 induction cooking zones**
- Frontal touch control
- 9 power levels + booster
- Pot detection sensor
- Timer function
- Child Lock safety
- Residual heat indicator
- **Max power limitation: 2,8kW / 3,5kW**

H6T48C

INDUCTION HOB 60cm




TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 480 mm
NOMINAL POWER	7200 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350077

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 145mm 1200 [1600] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 200mm 1600 [2000] W		Ø 145mm 1200 [1600] W

- **4 induction cooking zones**
- Frontal touch control
- 9 power levels + booster on 2 areas
- Pot detection sensor
- Timer function
- Child Lock safety
- Residual heat indicator
- **Max power limitation: 1,0kW / 1,6kW / 2,2kW / 2,8kW / 3,5kW / 6kW**

H6S48C

INDUCTION HOB 60cm



UPON REQUEST WHITE VTC VERSION



TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 480 mm
NOMINAL POWER	6800W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350084

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 145mm 1200 [1600] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 145mm 1200 [1600] W		Ø 145mm 1200 [1600] W

- **4 induction cooking zones**
- Frontal touch control **SLIDER**
- 9 power levels + booster
- Pot detection sensor
- Child Lock safety
- Timer function
- Residual heat indicator
- Cooking pause function
- **Bridge function**
- **Max power limitation: 1,0kW / 1,6kW / 2,2kW / 2,8kW / 3,5kW / 6kW**

H6S48B

INDUCTION HOB 60cm



UPON REQUEST WHITE VTC VERSION



TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 480 mm
NOMINAL POWER	6800W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350060

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
220x180 mm 2100 [3000] W		220x180 mm 2100 [3000] W
FRONT LEFT		FRONT RIGHT
220x180 mm 2100 [3000] W		220x180 mm 2100 [3000] W

- 4 induction **FLEXI** cooking zones
- New frontal touch control **SLIM**
- 9 power levels + booster
- Automatic pot detection function
- Double bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- Keep Warm Function**
- Max power limitation up to 1,5kW.**

HF6S48E

INDUCTION HOB 60cm "FLEXI"





TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 480 mm
NOMINAL POWER	7400W
SUPPLY VOLTAGE	200-240 V
EAN CODE	8059015350107

COOKING AREAS DETAIL		
FRONT LEFT		FRONT RIGHT
220x180 mm 2100 [3700] W		220x180 mm 2100 [3700] W
REAR LEFT		REAR RIGHT
220x180 mm 2100 [3700] W		220x180 mm 2100 [3700] W

- 4 induction **FLEXI** cooking zones
- Frontal touch control **MULTISLIDER**
- 9 power levels + booster
- Automatic pot detection function
- Double bridge FLEXI zones**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- Automatic Warming**
- Assisted cooking with temperature sensor**

H7S48C

INDUCTION HOB 77cm



UPON REQUEST WHITE VTC VERSION



TOP DIMENSIONS	770 x 510 mm
BUILT-IN MEASURES	740 x 480 mm
NOMINAL POWER	7200 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350114

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 145mm 1200 [1600] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 200mm 1600 [2000] W		Ø 145mm 1200 [1600] W

- 4 induction cooking zones
- Frontal touch control **SLIDER**
- 9 power levels + booster
- Pot detection sensor
- Child Lock safety
- Timer function
- Residual heat indicator
- Cooking pause function
- **Max power limitation: 1,0kW / 1,6kW / 2,2kW / 2,8kW / 3,5kW / 6kW**

H7S48BC

INDUCTION HOB 77cm



UPON REQUEST WHITE VTC VERSION

TOP DIMENSIONS	770 x 510 mm
BUILT-IN MEASURES	740 x 480 mm
NOMINAL POWER	6800 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350114

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 145mm 1200 [1600] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 145mm 1200 [1600] W		Ø 145mm 1200 [1600] W

- 4 induction cooking zones
- Frontal touch control **SLIDER**
- 9 power levels + booster
- Pot detection sensor
- Child Lock safety
- Timer function
- Residual heat indicator
- Cooking pause function
- Bridge function**
- **Max power limitation: 1,0kW / 1,6kW / 2,2kW / 2,8kW / 3,5kW / 6kW**



The new induction hob with integrated cooker hood.

Easy, safe, effective, with 4-burner and 9 power levels + booster. Timer, pot presence recognition system, lock of controls for child safety, temperature indicator of hot surface and auto shutdown are some of the functions of this evolved product.


Extraction at the sides of the hob through two slits to capture fumes, vapours and odours. Six levels of motor speed with the possibility of a timer.

The system arrives at nearly 700 m³/h of air with a flow velocity of 8.5 m/s, the highest available.


With a patented mechanism the glass top is lifted completely for an easy and immediate cleaning of the entire hood from the food parts or liquids that may fall.

Without having to dismantle or remove anything you can clean with the utmost simplicity and speed.


HW8S48C INDUCTION HOB 83cm WITH INTEGRATED HOOD



OVER TOP MOUNTED



FLUSH MOUNTED




TOP DIMENSIONS	830 x 510 mm
BUILT-IN MEASURES	805 x 490 mm
NOMINAL POWER	6800W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350190


COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 145mm 1200 [1600] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 145mm 1200 [1600] W		Ø 145mm 1200 [1600] W

- 4 induction cooking zones
- Frontal touch control **SLIDER**
- 9 power levels + booster
- Pot detection sensor
- Child Lock safety
- Timer function
- Residual heat indicator
- Cooking pause function
- Bridge function**
- Max power limitation: 1,0kW / 1,6kW / 2,2kW / 2,8kW / 3,5kW / 6kW**


HWF8S48E INDUCTION HOB 83cm WITH INTEGRATED HOOD - FLEXI VERSION



OVER TOP MOUNTED



FLUSH MOUNTED




TOP DIMENSIONS	830 x 510 mm
BUILT-IN MEASURES	805 x 490 mm
NOMINAL POWER	7400W
SUPPLY VOLTAGE	200-240 V
EAN CODE	8059015350206


COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
220x180 mm 2100 [3700] W		220x180 mm 2100 [3700] W
FRONT LEFT		FRONT RIGHT
220x180 mm 2100 [3700] W		220x180 mm 2100 [3700] W

- 4 induction **FLEXI** cooking zones
- Frontal touch control **MULTISLIDER**
- 9 power levels + booster
- Automatic pot detection function
- Double bridge FLEXI zones**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- Automatic Warming**
- Assisted cooking with temperature sensor**


HW6T48C INDUCTION HOB 60cm WITH INTEGRATED HOOD



OVER TOP MOUNTED



FLUSH MOUNTED



TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 480 mm
NOMINAL POWER	7200W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350183

COOKING AREAS DETAIL

REAR LEFT		REAR RIGHT
Ø 200mm 1600 [2000] W		Ø 200mm 1600 [2000] W
FRONT LEFT		FRONT RIGHT
Ø 145mm 1200 [1600] W		Ø 145mm 1200 [1600] W

- **4 induction cooking zones**
- Frontal touch control
- Independent controls for left and right zones
- 9 power levels + booster
- Pot detection sensor
- Timer function
- Residual heat indicator

HOOD FUNCTIONS

HW8S48C

6 speeds with boost, timer, automatic cut off
LATERAL: on both sides with double loophole

ASPIRATION

AIR OUTFLOW

MATERIALS

OPTIONS

HOOD ENERGETIC CLASS

3° SPEED NOISE

MOTOR EFFICIENCY

MOTOR CAPACITY

220x90 mm with fittings
Stainless Steel 18/8 (Aisi 304) structure

Duction or filtered with washable filters.

A

65 dB

A

700 m³/h

HWF8S48E

6 speeds with boost, timer, automatic cut off
LATERAL: on both sides with double loophole

220x90 mm with fittings
Rough Black structure

Duction or filtered with washable filters.

A

65 dB

A

700 m³/h

HW6T48C

6 speeds with boost, timer, automatic cut off
CENTRAL with black grid.

220x90 mm with fittings
Rough Black structure

Duction or filtered with washable filters.

A

65 dB

A

700 m³/h



Hob and hood can be installed in a reduced space having a total height of only 25 cm.
The hood with a compact motor can be connected to outside with an evacuation pipe or used with a long-lasting odour filter module that permits the air to go back inside the kitchen.

With 2 double pistons the glass opens and remains in the desired position and can be closed down in a fluid manner without the risk of falling.

The ease of cleaning is guaranteed.





Duction version



Air outflow with washable filter

H8S68B

INDUCTION HOB 80cm





TOP DIMENSIONS	800 x 510 mm
BUILT-IN MEASURES	750 x 480 mm
NOMINAL POWER	11000W
SUPPLY VOLTAGE	200-240 V
EAN CODE	8059015350145

COOKING AREAS DETAIL		
REAR LEFT	REAR CENTER	REAR RIGHT
220x180 mm 2100 [3000] W	220x180 mm 2100 [3000] W	220x180 mm 2100 [3000] W
FRONT LEFT	FRONT CENTER	FRONT RIGHT
220x180 mm 2100 [3000] W	220x180 mm 2100 [3000] W	220x180 mm 2100 [3000] W

- 6 induction **FLEXI** cooking zones
- New frontal touch control **SLIM**
- 9 power levels + booster
- Automatic pot detection function
- Triple bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- Keep Warm Function**
- Max power limitation up to 1,5kW.**

H9S58B

INDUCTION HOB 90cm




TOP DIMENSIONS	900 x 510 mm
BUILT-IN MEASURES	880 x 480 mm
NOMINAL POWER	11000 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350152

COOKING AREAS DETAIL		
REAR LEFT	CENTER	REAR RIGHT
220x180 mm 2100 [3000] W	Ø 250mm 2300 [3000] W	220x180 mm 2100 [3000] W
FRONT LEFT		FRONT RIGHT
220x180 mm 2100 [3000] W		220x180 mm 2100 [3000] W

- 5 induction (**4 FLEXI**) cooking zones
- New frontal touch control **SLIM**
- 9 power levels + booster
- Automatic pot detection function
- Double bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- Keep Warm Function**
- Max power limitation up to 1,5kW.**

H9S58E


INDUCTION HOB 90cm BRIDGE SLIDER



UPON REQUEST WHITE VTC VERSION

TOP DIMENSIONS	890 x 510 mm
BUILT-IN MEASURES	880 x 490 mm
NOMINAL POWER	11000 W
SUPPLY VOLTAGE	200-240 V
EAN CODE	8059015350169


COOKING AREAS DETAIL		
LEFT	REAR CENTER	REAR RIGHT
Ø 260mm 2600 [3700] W	Ø 180mm 1850 [3000] W	220x180 mm 2300 [3700] W
	FRONT CENTER	FRONT RIGHT
	Ø 145mm 1400 [2200] W	220x180 mm 2300 [3700] W



- **5 induction cooking zones**
- Frontal touch control **MULTISLIDER**
- 9 power levels + booster
- **Bridge function**
- Child Lock safety
- Independent Timer for each zone
- Residual heat indicator
- Cooking pause function
- **Automatic Heating**
- **Assisted cooking with temperature sensor**



H3T20I

VITROCERAMIC ELECTRIC HOB DOMINO



TOP DIMENSIONS	300 x 510 mm
BUILT-IN MEASURES	260 x 485 mm
NOMINAL POWER	3000 W
SUPPLY VOLTAGE	220-240 V
EAN CODE	8059015350213



COOKING AREAS DETAIL		
	REAR	
	Ø 175mm 1800 W	
	FRONT	
	Ø 140mm 1200 W	



- **2 radiant cooking zones**
- Frontal touch control
- 9 power levels
- Residual heat indicator
- Independent timer for each zone
- Child Lock safety

H6T40I

VITROCERAMIC ELECTRIC HOB 60 cm




TOP DIMENSIONS	580 x 510 mm
BUILT-IN MEASURES	560 x 485 mm
NOMINAL POWER	6000W
SUPPLY VOLTAGE	220 - 240 V
EAN CODE	8059015350244

- **4 radiant cooking zones**
- Frontal touch control
- 9 power levels
- Residual heat indicator
- Independent timer for each zone
- Child Lock safety

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
Ø 140mm 1200 W		Ø 175mm 1800 W
FRONT LEFT		FRONT RIGHT
Ø 175mm 1800 W		Ø 140mm 1200 W

H9S53I

VITROCERAMIC ELECTRIC HOB 90 cm






TOP DIMENSIONS	900 x 510 mm
BUILT-IN MEASURES	880 x 485 mm
NOMINAL POWER	8400 W
SUPPLY VOLTAGE	220 - 240 V
EAN CODE	8059015350282

- **5 radiant cooking zones**
- Frontal touch control **MONOSLIDER**
- 9 power levels
- Residual heat indicator
- Independent timer for each zone
- Cooking pause function
- Double circuit concentric front-left zone
- Triple circuit concentric central zone

COOKING AREAS DETAIL		
REAR LEFT	CENTER	REAR RIGHT
Ø 140mm 1200 W	Ø 140-210-270mm 1050-1950-2700 W	Ø 140mm 1200 W
FRONT LEFT		FRONT RIGHT
Ø 140 - 175mm 750 - 1800 W		Ø 175mm 1800 W

GX3KF20

INOX GAS HOB 30cm



TOP DIMENSIONS

305 x 510 mm

BUILT-IN MEASURES

280 x 480 mm



- **2 gas burners**
- Frontal knobs control
- Safety valves
- Automatic ignition
- Enamelled or cast iron pan support
- Inox surface

COOKING AREAS DETAIL		
	FRONT	
	RAPID	
	3 kW	
	REAR	
	AUXILIARY	
	1 kW	

CODE	SPECIFICATIONS
GX3KF20E.000	ENAMEL PAN SUPPORTS
GX3KF20C.000	CAST IRON PAN SUPPORTS

GX6KF43

INOX GAS HOB 60cm



TOP DIMENSIONS

600 x 510 mm

BUILT-IN MEASURES

560 x 480 mm



- **4 gas burners**
- Frontal knobs control
- Safety valves
- Automatic ignition
- Enamelled or cast iron pan support
- Inox surface
- WOK burner on request

COOKING AREAS DETAIL		
FRONT LEFT		REAR RIGHT
SEMI-RAPID		WOK
1,8 kW		3,3 kW
REAR LEFT		FRONT RIGHT
SEMI-RAPID		AUXILIARY
1,8 kW		1 kW

CODE	SPECIFICATIONS
GX6KF40E.000	ENAMEL PAN SUPPORTS
GX6KF43C.000	CAST IRON PAN SUPPORTS + WOK BURNER

GX7KF53

INOX GAS HOB 70cm



TOP DIMENSIONS 740 x 510 mm
BUILT-IN MEASURES 560 x 480 mm



- **5 gas burners**
- Frontal knobs control
- Safety valves
- Automatic ignition
- Enamelled or cast iron pan support
- Inox surface

COOKING AREAS DETAIL		
REAR LEFT		REAR RIGHT
RAPID 3 kW		SEMI-RAPID 1,8 kW
FRONT LEFT	CENTER	FRONT RIGHT
SEMI-RAPID 1,8 kW	WOK 3,3 kW	AUXILIARY 1 kW

CODE	SPECIFICATIONS
GX7KF53E.000	ENAMEL PAN SUPPORTS + WOK BURNER
GX7KF53C.000	CAST IRON PAN SUPPORTS + WOK BURNER

GX9KF53

INOX GAS HOB 90cm



TOP DIMENSIONS 860 x 510 mm
BUILT-IN MEASURES 830 x 480 mm


- **5 gas burners**
- Frontal knobs control
- Safety valves
- Automatic ignition
- Inox surface

COOKING AREAS DETAIL		
	REAR CENTER	REAR RIGHT
	SEMI-RAPID 1,8 kW	RAPID 3 kW
LEFT	FRONT CENTER	FRONT RIGHT
WOK 3,3 kW	SEMI-RAPID 1,8 kW	AUXILIARY 1 kW

CODE	SPECIFICATIONS
GX9KF53C.000	CAST IRON PAN SUPPORTS

GX9KC53

INOX GAS HOB 90cm



TOP DIMENSIONS 910 x 510 mm
BUILT-IN MEASURES 830 x 480 mm



- **5 gas burners**
- Frontal knobs control
- Safety valves
- Automatic ignition
- Inox surface

COOKING AREAS DETAIL		
FRONT LEFT SEMI-RAPID 1,8 kW		REAR RIGHT RAPID 3 kW
REAR LEFT SEMI-RAPID 1,8 kW	CENTER WOK 3,8 kW	FRONT RIGHT AUXILIARY 1 kW

CODE	SPECIFICATIONS
GX9KC53C.000	CAST IRON PAN SUPPORTS

GG6KL43

CRISTAL GAS HOB 60cm



TOP DIMENSIONS 600 x 510 mm
BUILT-IN MEASURES 560 x 480 mm


- **4 gas burners**
- Lateral knobs control
- Safety valves
- Automatic ignition
- Cast iron pan support
- Tempered glass surface

COOKING AREAS DETAIL		
FRONT LEFT SEMI-RAPID 1,8 kW		REAR RIGHT SEMI-RAPID 1,8 kW
REAR LEFT WOK 3,8 kW		FRONT RIGHT AUXILIARY 1 kW

CODE	SPECIFICATIONS
GG6KL43N.000	BLACK CRYSTAL
GG6KL43W.000	WHITE CRYSTAL

GG7KF53

CRISTAL GAS HOB 70 cm



TOP DIMENSIONS 700 x 510 mm
BUILT-IN MEASURES 560 x 480 mm



- **5 gas burners**
- Central knobs control
- Safety valves
- Automatic ignition
- Cast iron pan support
- Tempered glass surface

COOKING AREAS DETAIL		
FRONT LEFT RAPID 3 kW		REAR RIGHT SEMI-RAPID 1,8 kW
REAR LEFT AUXILIARY 1 kW	CENTER WOK 3,8 kW	FRONT RIGHT SEMI-RAPID 1,8 kW

CODE	SPECIFICATIONS
GG7KF53N.000	BLACK CRYSTAL

GG9KF53

CRISTAL GAS HOB 90cm




TOP DIMENSIONS 900 x 510 mm
BUILT-IN MEASURES 560 x 480 mm

- **5 gas burners**
- Lateral knobs control
- Safety valves
- Automatic ignition
- Tempered glass surface

COOKING AREAS DETAIL		
REAR LEFT SEMI-RAPID 1,8 kW	REAR CENTER SEMI-RAPID 1,8 kW	
FRONT LEFT RAPID 3 kW	FRONT CENTER AUXILIARY 1 kW	RIGHT WOK 3,8 kW

CODE	SPECIFICATIONS
GG9KF53N.000	BLACK CRYSTAL

FE6V063AXN ELECTRIC OVEN 60cm



OVEN TYPE

Electric oven (fan assisted)

DIMENSIONS

600 x 600 mm

ENERGY CLASS

A

NOMINAL POWER

2300 W

SUPPLY VOLTAGE

230 V

CAVITY VOLUME

66 lt


MAX TEMPERATURE

250° C

6 cooking functions

- Analogic end cooking timer
- Embossed cavity interior with anti-tilt system
- Easy to remove inner door glasses
- Inox control panel
- Full black glass door
- Aluminium handle
- 1 enamelled tray + 1 grid

FE6V063AGN ELECTRIC OVEN 60cm



OVEN TYPE

Electric oven (fan assisted)

DIMENSIONS

600 x 600 mm

ENERGY CLASS

A

NOMINAL POWER

2300 W

SUPPLY VOLTAGE

230 V

CAVITY VOLUME

66 lt


MAX TEMPERATURE

250° C

6 cooking functions

- Analogic end cooking timer
- Plain cavity interior with side racks
- Easy to remove inner door glasses
- Black glass control panel
- Full black glass door
- Aluminium handle
- 1 enamelled tray + 1 grid

FE6V082EXN ELECTRIC OVEN 60cm



OVEN TYPE

Electric multifunction

DIMENSIONS

600 x 600 mm

ENERGY CLASS

A

NOMINAL POWER

3100 W

SUPPLY VOLTAGE

230 V

CAVITY VOLUME


66 lt

MAX TEMPERATURE

250° C

- **8 cooking functions**
- Digital touch programmer
- Plain cavity interior with side racks
- Easy to remove inner door glasses
- Inox control panel
- Full black glass door
- Aluminium handle
- 1 enamelled tray + 1 grid

FE6V082EGN ELECTRIC OVEN 60cm



OVEN TYPE

Electric digital multifunction

DIMENSIONS

600 x 600 mm

ENERGY CLASS

A

NOMINAL POWER

3100 W

SUPPLY VOLTAGE

230 V

CAVITY VOLUME

66 lt


MAX TEMPERATURE

250° C

- **8 cooking functions**
- Digital touch programmer
- Plain cavity interior with side racks
- Easy to remove inner door glasses
- Black glass control panel
- Full black glass door
- Aluminium handle
- **Push knobs**
- 1 enamelled tray + 1 grid

FE6V110TGN

ELECTRIC OVEN 60cm



OVEN TYPE

Electric digital multifunction

DIMENSIONS

600 x 600 mm

ENERGY CLASS

A

NOMINAL POWER

3100 W

SUPPLY VOLTAGE

230 V

CAVITY VOLUME

66 lt


MAX TEMPERATURE

250° C

- **11 cooking functions**
- Digital touch programmer
- Plain cavity interior with side racks
- Easy to remove inner door glasses
- **Full touch control panel**
- Full black glass door
- Aluminium handle
- 1 enamelled tray + 1 grid

FE9VV092EXN

ELECTRIC OVEN 90cm



OVEN TYPE

Electric oven (multifunction)

DIMENSIONS

900 x 600 mm

ENERGY CLASS

A

SUPPLY VOLTAGE

230 V

CAVITY GROSS VOLUME


125 lt

MAX TEMPERATURE

250° C


- **9 cooking functions**
- Digital touch programmer
- Plain cavity interior with side racks
- Easy to remove inner door glasses
- Inox control panel
- Black glass door with inox stripe
- Aluminium handle
- 1 enamelled tray + 1 grid
- **Double fan for perfect cooking**

FGE9VV043EXN GAS - ELECTRIC OVEN 90cm



OVEN TYPE	Gas oven with electric grill	4 cooking functions - Digital touch clock - Plain cavity interior with side racks - Easy to remove inner door glasses - Inox control panel - Black glass door with inox stripe - Aluminium handle 1 enamelled tray + 1 grid - Turnspit Double fan for perfect cooking
DIMENSIONS	900 x 600 mm	
ENERGY CLASS	A	
SUPPLY VOLTAGE	230 V	
CAVITY GROSS VOLUME	125 lt	
MAX TEMPERATURE	250° C	

FGG9VV043EXN FULL GAS OVEN 90cm



OVEN TYPE	Gas oven with gas grill	4 cooking functions - Digital touch clock - Plain cavity interior with side racks - Easy to remove inner door glasses - Inox control panel - Black glass door with inox stripe - Aluminium handle 1 enamelled tray + 1 grid - Turnspit Double fan for perfect cooking
DIMENSIONS	900 x 600 mm	
ENERGY CLASS	A	
SUPPLY VOLTAGE	230 V	
CAVITY VOLUME	125 lt	
MAX TEMPERATURE	250° C	

AFTER-SALES and WARRANTY

la Cottura products are covered with EU 2-years warranty.

AFTER-SALES CENTERS

ITALY / FRANCE (Italian border areas)

S.E.R. SRL

Via Livrasco, 52
26100 / Migliaro / Cremona / Italy
+39 0372 1786201
+39 0372 30478
+ 39 0372 1931341

assistenza@sersrlonline.com
servizioclienti@sersrlonline.com

www.sersrlweb.com

UNITED ARAB EMIRATES

ROMA KITCHEN AL AIN

Al Ain Industrial Area
PO Box 14056 / United Arab Emirates
+971 03 7631516

COLOMBIA

MEDITERRANEAN MARBLE CO. S.A.S.

CALLE 164 NO 17-42 (TOBERÍN)
110131 / Bogotá / Colombia
+57 16749893

SPAIN

LOGMAN ELECTRONICA

Av. Zarandona, 76 A
30007 / Zarandona / Murcia / Spain
+34 902 00 76 99
www.logman.es

NEDERLANDS

DENARDI B.V.

Bijldorp Oost, 16
2992 LA / Barendrecht / Netherlands
+31 085 488 4773
www.denardi.nl

ROMANIA

SMART FIX S.R.L.

Str. Cumpenei, 10/A
900147 / Constanta / Romania
+40 0758 10 00 99

COSTA RICA

ITALCUCINE S.A.

Frente a Bomba Delta en Pavas
10109 / San José / Costa Rica
www.italcucine.co.cr



PRODUCT ALWAYS ON STOCK (except for special events)

ITALIAN DESIGN SRL has a CERTIFIED ISO 9001 quality system.



ITALIAN DESIGN SRL is a member of *ECODOM CONSORTIUM*, the largest Italian Household Appliance Recovery and Recycling Consortium.



All products from *la Cottura* comply with CE and EMC standards



ITALIAN DESIGN S.R.L. may change product specifications and/or aestetichs for safety or product improvement reasons. Pictures in this catalogue, so, are only indicative.



la Cottura[®]
— ITALIAN DESIGN —

ITALIAN DESIGN SRL / HOME APPLIANCES

Via Antonio Bellucci 14 / 31010 / Farra di Soligo / Treviso / Italy

+39 0438 1672951 / info@lacottura.it / www.lacottura.it